



Contents

ELECON SWITCH SERIES

NFINITY SERIES	8
MODERNO SERIES	12
OGGLE SERIES	16
NSPIRE SERIES	20
MPRESS SERIES	24
SERENE SERIES	28
SIGNAGE & CUSTOM CONTROL PANELS	32
LUSH MOUNTING WALL BOXES	42



COMPANY CONTACT DETAILS:

Name: ELECON INTERNATIONAL CO., LTD.

Address: 122/3 Soi Intraporn, Phabphla, Wangthonglang, Bangkok-10310, Thailand

Tel.: (66) 2933-5991-3 Fax: (66) 2933-5990

Email: info@eleconthailand.com Website: www.eleconthailand.com





ELECON SWITCH SERIES

Switch control panels and switch buttons are a key focal point in all hotel guestrooms.

Used by everyone on a daily basis, their design, ease-of-use, reliability and sensory feedback are key factors that will leave a long lasting impression on hotel guests.

Elecon provides a wide range of standard and custom designed switch panel solutions to fit the design and budget of any project. A wide range of materials and finishes provide a large number of unique combinations to choose from.

Glass, ABS, stainless steel or brushed aluminium with different treatments and colours plus engraved or laser etched lettering. In addition button backlighting and status indicators are also available on many models.

A market leader in guestroom control and custom switch panel solutions the Elecon name is synonymous with quality and reliability. If you are a hotel developer, lighting control designer, electrical contractor, systems integrator or architect please contact us to discuss how Elecon products and solutions can benefit and add flair to your projects. We will be happy to assist in making the right choice of control panel to best meet your requirements.










Elecon

Sample Switch and Socket layout













1 Socket Shaver / Volume

Front Panel 12V (DND / MUR / Bell)

Panel 12V
/ MUR / Bell)

3 Digital Thermostat

4 Key Card Holder

Master /Entry / Bath /
Shower / DND / MUR











8 Socket+USB Charger /
Bedside Lamp / Reading /
Night Light / Master



9 Bedside Lamp / Reading /
Night Light / Master
Socket+USB Charger



10 Socket




Socket / TV/Internet / Socket



Socket+USB Charger / Socket / 2 Internet



13 Walk-in closet



- Low-voltage wiring for safe operation
- Inexpensive installation
- Multi-way switching for full function control anywhere inside the room.
- Compatible with low voltage signal (5V or 12V) from RCU

Customizable elements:


- Color of device components as well as button and LED illumination.
- Text language and symbol/icon type
- Finish: Glass, ABS, stainless steel or aluminium

Application:

- Individual lighting controls, dimming controls, scene setting, night light, master on/off.
- Other room controls including fan, curtains/blinds, music/audio controls.
- Digital thermostat panel
- Service controls and indicator panes for Do Not Disturb, Make Up Room, Laundry, Butler etc.

Infinity Series

These are push button action momentary switches, pressing and releasing the button activates the function. Presented in the style of a traditional rocker toggle switch these advanced electronic switches provide a soft "click" sound to provide audible feedback to the user.



LED Indicator











Module Option









Dimmer Switch 300 watt



Keycard Holder



Service Panel





Telephone Socket





Junction Box



RJ45 Junction Box RJ45 Cat5 Data Socket Cat5 Data Socket



TV/RJ45 Cat5 Data Socket



RJ11 Telephone Socket RJ45 Cat5 Data Socket



Media Hub



3 pin Universal Socket



5 pin Universal Socket 10A



Universal Socket 10A 2port USB Charger 5V 2A 110V/220V







2 USB

Switch 12V/220V Button Configuration



1 Button with edge



2 Button with edge



with out edge



3 Button with out edge



6 Button with out edge

Conjoined Switch



4 Conjoined

2 Conjoined






Module









Black

Cover / Material

344 mm.











Aluminium






























11



- Multi-way switching for full function control anywhere inside the room.
- Compatible with low voltage signal (5V or 12V) from RCU

Customizable elements:


- Color of device components as well as button and LED illumination.
- Engrave Text language and symbol/icon type
- Finish: Glass, ABS, stainless steel or aluminium


Application:

- Individual lighting controls, dimming controls, scene setting, night light, master on/off.
- Other room controls including fan, curtains/blinds, music/audio controls.
- Digital thermostat panel
- Service controls and indicator panes for Do Not Disturb, Make Up Room, Laundry, Butler etc.
- Doorbell activation

Moderno Series

These are push button action momentary switches, pressing and releasing the button activates the function. Presented in the style of a traditional rocker toggle switch these advanced electronic switches provide a soft "click" sound to provide audible feedback to the user.



















Module Option









Dimmer Switch 300 watt

Keycard Holder 12V

Junction Box RJ45 RJ45 Cat5 Data Socket Cat5 Data Socket

2port USB Charger 5V 2A 110V/220V

3 Button



Service Panel



Front Panel






2 Conjoined







Module

Plastic

Pearl brown







Telephone Socket

Media Hub



Switch 12V/220V Button Configuration

Universal Socket

2 Button



Universal Socket 10A

2 Button





4 Button



TV/RJ45 Cat5 Data Socket



RJ11 Telephone Socket RJ45 Cat5 Data Socket

2 USB

6 Button

Cover / Material

Conjoined Switch

1 Conjoined





Glass







Aluminium





Brass / Stainless

Gunpowder































Low-voltage wiring for safe operation Inexpensive installation Multi-way switching for full function control anywhere in room

Customizable elements:


- Background metal panel material and color finish
- Text language and symbol/icon type

Application:

- Individual lighting controls, dimming controls, scene setting, night light, master on/off.
- Other room controls including fan, curtains/blinds, music/audio controls
- Digital thermostat panel
- Service controls and indicator panes for Do Not Disturb, Make Up Room, Laundry, Butler etc.
- Doorbell activation

TOGGLE Series

These are spring loaded toggle push buttons using low profile embedded micro switches. Pressing and releasing the button activates the function. These unique buttons provide a soft and silent operation.









SPECIFICATION

TOGGLE Series





Module Option



Digital Thermostat 12V





Dimmer Switch 300 watt



Service Panel





Front Panel




2 Conjoined 172 mm.





Module

ABS







Telephone Socket





5 pin Universal Socket 10A









RJ11 Telephone Socket RJ45 Cat5 Data Socket







2 USB

Cover / Material

Conjoined Switch

1 Conjoined

86 mm.

Aluminium





344 mm.





Brass / Stainless

5 mm. 43 mm.













Button



Switch 12V/220V Button Configuration

Universal Socket







Universal Socket 10A

2port USB Charger 5V 2A 110V/220V









- Low-voltage wiring for safe operation
- Inexpensive installation
- Multi-way switching for full function control anywhere inside the room.
- Compatible with low voltage signal (5V or 12V) from RCU

Customizable elements:


- Color of device components as well as button and LED illumination.
- Text language and symbol/icon type
- Metal finish: antique brass, stainless steel & aluminium

Application:

- Individual lighting controls, dimming controls, scene setting, night light, master on/off.
- Other room controls including fan, curtains/blinds, music/audio controls.
- Digital thermostat panel
- Service controls and indicator panes for Do Not Disturb, Make Up Room, Laundry, Butler etc.
- Doorbell activation

INSPIRE Series

These are push button tactile momentary switches using low profile embedded micro switches, pressing and releasing the button activates the function. This button style provides a soft tactile feedback with no audible "click".









SPECIFICATION INSPIRE Series DAY

~





























ABS

Black



Stainless





Button Color

Cover / Material


ABS

Black

Aluminium

Dark Brown











Antique Brass

Module Option









Dimmer Switch 300 watt Dimmer Switch 12V





Front Panel



Telephone Socket

Keycard Holder



Keycard Holder

Junction Box



Junction Box RJ45 Cat5 Data Socket Cat5 Data Socket

Universal Socket



Universal Socket 10A

TV/RJ45 Cat5 Data Socket



Universal Socket 10A

2port USB Charger 5V 2A 110V/220V


RJ11 Telephone Socket HDMI RJ45 Cat5 Data Socket








Special Conjoined Switch









Switch 12V/220V Button Configuration














1+1+1 gang box

Conjoined Switch









Gray






Black









Low-voltage wiring for safe operation
Inexpensive installation
Multi-way switching for full function control anywhere in room

Customizable elements:


- Color of glass panel and color of button background LED illumination
- Text language and symbol/icon type

Application:

- Individual lighting controls, dimming controls, scene setting, night light, master on/off.
- Other room controls including fan, curtains/blinds, music/audio controls
- Digital thermostat panel
- Service controls and indicator panes for Do Not Disturb, Make Up Room, Laundry, Butler etc.
- Doorbell activation

IMPRESS Series

With no mechanical moving parts these glass panel capacitance sensor switches provide a silent operation with a visual feedback when tapped. The backlight can be switched on or off or set to flash when the button is touched.



LED Indicator













Module Option







Volume



Dimmer Switch 12 V



Keycard Holder



Service Panel 12V



Front Panel



RJ11 Telephone Socket TV Socket



Junction Box



Junction Box/ RJ45 Cat5 Data Socket



Universal Socket



Universal Socket



Shaver Socket 110V/220V



RJ45 Cat5 Data Socket





TV/RJ45 Cat5 Data Socket RJ11 Telephone Socket/ RJ45 Cat5 Data Socket



Media Hub





2port USB Charger 5V 2A





2 USB

Switch 12V/220V Button Configuration





2 Button



2 Button



4 Button

5 Button



6 Button

Conjoined Switch

3 Conjoined



258 mm.

2 Conjoined



1 Conjoined





Cover Color

Glass



Black





Bronze





Module

Black









Low-voltage cabling and wiring for safe operation

Inexpensive installation

Multi-way switching for full function control anywhere inside the re-

Multi-way switching for full function control anywhere inside the room

Customizable elements:


- Color of device components as well as button and LED illumination:
- Text language and symbol/icon type
- Branding of face panel.

Application:

- Individual lighting controls, dimming controls, scene setting, night light, master on/off.
- Other room controls including fan, curtains/blinds, music/audio controls.
- Digital thermostat panel
- Service controls and indicator panes for Do Not Disturb, Make Up Room, Laundry, Butler etc.
- Doorbell activation

SERENE Series

These are push button action momentary switches, pressing and releasing the button activates the function. With no mechanical moving parts the thin multilayer membrane switches provide a soft tactile feedback and are silent in operation, some models include extra LEDs to indicate the switch status.



LED Indicator











SPECIFICATION SERENE Series Conrad Bangkok

Module Option



RJ11

Media Hub

Telephone Socket











Junction Box

RJ45 Cat5 Data Socket

Universal Socket 10A

2port USB Charger 5V 2A




















2 USB







Membrane Colour





Cover Color



Champagne Gold







Stainless

Antique Brass

Module

ABS



Glass









Conjoined Switch

4 Conjoined



3 Conjoined



2 Conjoined

1 Conjoined



Switch 12V/220V Button Configuration



1 Button



2 Button

Universal Socket



Universal Socket 10A

Junction Box







RJ45 Cat5 Data Socket



TV/RJ45

Cat5 Data Socket



6 Button

Dark Brown

Black

31



SIGNAGE & CUSTOM CONTROL PANELS

For a truly unique impression Elecon can supply custom designed entrance door signage and other special control panels, these panels can be matched to the in-room switch control panels. The signage panels can include a touch button for Bell and indicator symbols for Make-Up-Room and Do-Not-Disturb.

These custom control panels can be provided in glass or metal with different colours and finishes.

For the highest level in control panel customisation Elecon can also provide laser cut and laser etched metal control panels. Each button is touch sensitive with added backlighting.

These cost effective custom control panels provide a unique and unforgettable guest experience.



Customized button layout





Touch button, Glass











Touch button, Antique brass

ROOM SIGNAGE

For a truly unique impression Elecon can supply custom designed entrance door signage and other special control panels, these panels can be matched to the in-room switch control panels. The signage panels can include a touch button for Bell and indicator symbols for Make-Up-Room and Do-Not-Disturb.

These custom control panels can be provided in glass or metal with different colours and finishes.

For the highest level in control panel customisation Elecon can also provide laser cut and laser etched metal control panels. Each button is touch sensitive with added backlighting.

These cost effective custom control panels provide a unique and unforgettable guest experience.



A 400 WELCOME

90.00 mm.






100.00 mm.










































PVC MOUNTING BOX

Elecon standard flush mounting plastic boxes are crafted from durable PVC and are designed to house and protect electrical wiring, switches and power sockets. These boxes include conduit knockout holes and are available in a square single gang size 3x3 with "linking tabs" to aid the horizontal alignment of multiple boxes and easy subsequent fitting of the switch control panel.









1 Conjoined













3 Conjoined





4 Conjoined



































ELECON INTERNATIONAL CO.,LTD

122/3 Soi Intraporn Phlabphla, Wangthonglang, Bangkok 10310 Thailand, Tel. (66) 2933-5991-5 Fax. (66) 2933-5990 Web: www.eleconthailand.com E-mail: info@eleconthailand.com, sales@eleconthailand.com